

SUMMARY 提纲概要

Product display 产品展示

Installation guidance 产品安装指导

03

Suitable model/Sales area 产品适配/销售区域

04

Technical information 技术信息表

05

F&Q 常见销售问题 Comparison before and after modification



Product Details



COLOR: Smoked









LIGHT OFF


COLOR: Red







LIGHT OFF





Running light 行车灯



Fog light[Red] 雾灯[红]




Turn signal 转向灯



Revese light[White] 倒车灯[白]



Brake light 刹车灯





Running light 行车灯



Turn signal 转向灯



Fog light[Red] 雾灯[红]



Revese light[White] 倒车灯[白]



Brake light 刹车灯




Scan the QR Code for more details on lighting effect. 手机扫一扫,观看产品灯光效果演示





● 弯灯线束

Wiping turn indicator option:An ON/OFF switch of the wiping indicator.
The default is ON.If you want to turn off the wiping indicator, please pull off the plug. 流光选择线:转向流光和不流光切换。默认流光,拔开转向变成不流光。



平灯线束 Brake light-Turn signal **美向灯** 刹车灯 Fog light-雾灯 LReverse light 倒华灯 Running light-行车灯 Negative pole 负极 L Reverse light 倒经机 Turn signal Reverse light— -Negative pole 袋向灯 倒率灯 负极 Fog light-雾灯 Negative pole 负极 Fog light-雾灯 -Negative pole Running light 负极 行车灯

Installation guide

TOOLS 常用安装工具















Electrical tape 电工胶布



Socket wrench 套筒扳手







Please do not use electric tools to adjust

If your vehicle has lowered or high suspensions, please adjust
the position accordingly

Please wear security equipment all the time to avoid injuries To avoid any possible short-circuit do not cut or connect any wires



Scan the QR code for installation guide 手机扫一扫,观看产品安装指导视频






OTHER CAR MODEL SHOULD TAKE THE SIDEBOARDS DOWN EXCEPT CONVERTIBLE EDITION. 出厂自带,敞篷版需要使用此配件



From factory car 使用原车小挡板





FOR M4:THESE PLACES WHICH ARE CIRCLED (ON THE LID MOUNTED) HAVE TO BE CUT OFF 平灯安装M4车型时,需要把圈起来的三个部位剪掉才能顺利安装

Technical Information

Model No. 产品型号

YAB-BW4-0391-14

Suitable Car/Year 适装车型年份 宝马4系 BMW 4 series 14-20 宝马 M4 BMW4 M4 14-20 (借鉴于宝马 M4 CS)

Suitable trim 适配Trim

4系(F32/F33/F36),M4(F82/F83)

Unfit model 不适配车型 Sales area 销售区域

欧洲、中国、美国为主。全球

Certification 认证及专利

外观专利,E-MARK-9 认证、DOT认证

注意事项: 1、四门和两门(Coupe/Convertible)通装。 2、第一批货安装不了敞篷和M4。从第二批开始,都是可以适配的。3、敞篷版需要挡板,配合原车小挡板使用。4.平灯安装M4车型时,需要把圈起来的三个部件剪掉,才可以顺利安装。

Functions 功能	Running light 行车灯	LED running light LED行车灯	Power 功率	Brake light 刹车功率	平灯: 无 弯灯: 10W
	Turn signal 转向灯	LED wiping turn indicator LED流光转向		Luninous flux 光通亮	无
	Fog light 雾灯	LED fog light LED雾灯	Resistor power 负载功率	Running light resistor 行车负载功率	无
	Reverse light 倒车灯	LED reverse light LED倒车灯		Turn signal resistor 转向负载功率	无
	Brake light 刹车灯	LED brake light LED刹车灯		Fog light resistor 雾灯负载功率	5W
	Dynamic effect 附加动态效果	Dynamic DRL no breathe effect 有迎宾,没有呼吸		Reverse light resistor 倒车负载功率	5W
Color 颜色	Turn signal color 转向灯颜色	Yellow 黄光		Brake light resistor 刹车负载功率	5W
	Shell color 灯罩颜色	Red / Smoked 红色/茶色	Package 包装	Package type 包装类型	白色泡沫盒
	Reflector color 反射片颜色	Red 红色		Package size 包装规格	54.5*46*23CM
Power 功率	Running light 行车功率	平灯: 3W 弯灯: 5.9W		Net weight 净重	4KG
	Turn signal 转向功率	平灯: 8W 弯灯: 7.7W		Gross weight 毛重	5.43KG
	Fog light 雾灯功率	平灯: 2W 弯灯: 无		Contains 配件包	1.说明书 2.挡板*1
	Reverse light 倒车功率	平灯: 2W 弯灯: 无		Adaptor 转接线说明	无

注意事项:转向灯有流光或者不流光选择。

注: 若客户自行改变了原有的参数,公司概不负责售后问题。

Thanks for watching